

ACTIVIDAD PROBIÓTICA DE Saccharomyces cerevissiae, EN INDICADORES PRODUCTIVOS DE POLLOS ROSS 308 [

2010

text (article)

Analítica

We evaluated the probiotic activity of Saccharomyces cerevisiae on production and health parameters of 240 Ross 308 chickens from the fifteen days old, with an average weight of 273.84 g were randomly divided into four treatments: control and three levels of probiotic: T1 = 0 g, T2 = 1 g, 2 g T3 = T4 = 3 g of S. cerevisiae added per kg of food, isoenergetic diets that were isocaloric and provided in three phases: from day 15 to 28, day 29 to 35 and day 36 to 42, when they were slaughtered. From the fifth week, significant differences (P < 0.05) between treatment four and the remaining treatments in live weight, weight gain partial and cumulative weight gain. There were no significant differences (P> 0.05) on feed intake, feed conversion and mortality among treatments. We conclude that the inclusion of 3 g kg of S. cerevisiae kg-1 diet significantly improved weight gain in Ross 308 chickens

We evaluated the probiotic activity of Saccharomyces cerevisiae on production and health parameters of 240 Ross 308 chickens from the fifteen days old, with an average weight of 273.84 g were randomly divided into four treatments: control and three levels of probiotic: T1 = 0 g, T2 = 1 g, 2 g T3 = T4 = 3 g of S. cerevisiae added per kg of food, isoenergetic diets that were isocaloric and provided in three phases: from day 15 to 28, day 29 to 35 and day 36 to 42, when they were slaughtered. From the fifth week, significant differences (P <0.05) between treatment four and the remaining treatments in live weight, weight gain partial and cumulative weight gain. There were no significant differences (P> 0.05) on feed intake, feed conversion and mortality among treatments. We conclude that the inclusion of 3 g kg of S. cerevisiae kg-1 diet significantly improved weight gain in Ross 308 chickens

https://rebiunoda.pro.baratznet.cloud: 28443/Opac Discovery/public/catalog/detail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzQ5NDc5OTQ

Título: ACTIVIDAD PROBIÓTICA DE Saccharomyces cerevissiae, EN INDICADORES PRODUCTIVOS DE POLLOS ROSS 308 electronic resource]

Editorial: 2010

Documento fuente: Revista ESPAMCIENCIA, ISSN 1390-8103, Vol. 1, N°. 2, 2010 (Ejemplar dedicado a: REVISTA ESPAMCIENCIA 2010), pags. 80-85

Nota general: application/pdf

Restricciones de acceso: Open access content. Open access content star

Condiciones de uso y reproducción: LICENCIA DE USO: Los documentos a texto completo incluidos en Dialnet son de acceso libre y propiedad de sus autores y/o editores. Por tanto, cualquier acto de reproducción, distribución, comunicación pública y/o transformación total o parcial requiere el consentimiento expreso y escrito de aquéllos. Cualquier enlace al texto completo de estos documentos deberá hacerse a través de la URL oficial de éstos en Dialnet. Más información: https://dialnet.unirioja.es/info/derechosOAI | INTELLECTUAL PROPERTY RIGHTS STATEMENT: Full text documents hosted by Dialnet are protected by copyright and/or related rights. This digital object is accessible without charge, but its use is subject to the licensing conditions set by its authors or editors. Unless expressly stated otherwise in the licensing conditions, you are free to linking, browsing, printing and making a copy for your own personal purposes. All other acts of reproduction and communication to the public are subject to the licensing conditions expressed by editors and authors and require consent from them. Any link to this document should be made using its official URL in Dialnet. More info: https://dialnet.unirioja.es/info/derechosOAI

Lengua: Spanish

 $\textbf{Enlace a fuente de información:} \ Revista ESPAMCIENCIA, ISSN 1390-8103, Vol.\ 1, N^{\circ}.\ 2, 2010 \ (Ejemplar a fuente de información:) \\$

dedicado a: REVISTA ESPAMCIENCIA 2010), pags. 80-85

Baratz Innovación Documental

- Gran Vía, 59 28013 Madrid
- (+34) 91 456 03 60
- informa@baratz.es